



- GENERAL NOTES:**
1. THE MODULAR DATA OUTLETS (OUTLETS INTEGRATED INTO CASEWORK) WHICH CONSIST OF THE PATCH CABLES THAT ARE TO BE WIRED TO THE CEILING DATA OUTLETS ARE CAPTURED ON THE CASEWORK ENLARGED PLANS LOCATED ON SHEET **T205**.
  2. COMPLETE A X-RAY OR GPR SCAN BEFORE CORING THE EXISTING FLOOR. TYPICAL OF ALL POKE-THRU DEVICE LOCATIONS.
  3. LOCATIONS OF FLOOR BOXES AND FLOOR PENETRATIONS SHALL NOT BE MEASURED FROM THIS PLAN. THE INSTALLER SHALL REQUEST PRECISE LOCATIONS FROM THE ARCHITECT.
- KEYED NOTES:**
1. COORDINATE PRECISE LOCATION OF DATA WITH THE MECHANICAL INSTALLER PRIOR TO INSTALLATION. REFER TO "OUTLET FOR MECH/ELEC/ELEV CONNECTION - TYPE 1" DETAIL FOR MORE INFORMATION.
  2. COORDINATE PRECISE LOCATION OF DATA WITH THE ELECTRICAL INSTALLER PRIOR TO INSTALLATION. REFER TO "OUTLET FOR MECH/ELEC/ELEV CONNECTION - TYPE 1" DETAIL FOR MORE INFORMATION.
  3. REFER TO SHEET **T201** FOR MORE INFORMATION ON DATA REQUIREMENTS FOR LAB CASEWORK. TYPICAL OF ALL.
  4. PROVIDE 1-1/4" CONDUIT FROM IN-WALL STORAGE BOX TO POKE-THRU DEVICE.
  5. TWO (2) 2" CONDUITS FROM POKE-THRU DEVICE TO ACCESSIBLE CEILING.
  6. ONE (1) 2" CONDUIT FROM POKE-THRU FURNITURE FEED DEVICE TO ACCESSIBLE CEILING.

**multistudio**  
the evolution of gould evans

**PERKINS — EASTMAN**

**LSU-HSC MEB  
LABORATORY  
RENOVATION**

1901 PERDIDO STREET  
NEW ORLEANS, LA 70112

Project Number: 1321-1100

Owner:  
State of Louisiana - Facility Planning and Control  
1302 N. Third St., Suite 7-210  
Baton Rouge, LA 70802  
225.342.7000  
www.dhs.la.gov/dsa/fpc/  
architect:  
Multistudio  
3308 Magazine Street  
New Orleans, LA 70115  
504.482.6303  
www.multistudio

Perkins Eastman  
115 5th Ave.  
New York, NY 10003  
212.353.7200  
www.perkinseastman.com  
structural engineer:  
Schrenk, Endom & Flanagan Consulting Engineers,  
4227 Bienville Avenue  
New Orleans, LA 70113  
504.482.7856  
www.se-engineers.com  
MEP/FP + technology engineer:  
TLC Engineering Solutions  
201 St. Charles Ave., Suite 4318  
New Orleans, LA 70170  
504.777.0945  
www.tlc-engineers.com

Issue Date: 01/12/2024

**Revisions**

| NUMBER | DESCRIPTION | DATE |
|--------|-------------|------|
|--------|-------------|------|

UNLESS A PROFESSIONAL SEAL WITH SIGNATURE AND DATE IS  
AFFIXED, THIS DOCUMENT IS PRELIMINARY AND IS NOT INTENDED FOR  
CONSTRUCTION, RECORDING PURPOSES OR IMPLEMENTATION



**TECHNOLOGY PLAN -  
LEVEL 5 - SECTOR C3  
T205-C3**  
CONSTRUCTION  
DOCUMENTS