

13 DEVICE ROUGH-IN WITH SURFACE MOUNT BOX
N.T.S.



9 RECESSED CEILING MOUNTED CAMERA
N.T.S.



5 WALL MOUNTED FURNITURE FEED
N.T.S.



1 FLUSH MOUNTED OUTLET
N.T.S.



14 DATA ABOVE CEILING FOR CEILING MOUNTED WAP
1" = 1'-0"



KEYED NOTES:

1. PROVIDE WIREMOLD WMPAC525FCW RECESS IN-WALL STORAGE BOX. COORDINATE FINAL LOCATION WITH DISPLAY AND WALL MOUNT BRACKET PRIOR TO INSTALLATION
2. PROVIDE CONCEALED CONDUIT FOR HORIZONTAL 4-PAIR CABLING. REFER TO SCHEDULE FOR MORE INFORMATION.
3. OUTLINE OF DISPLAY.
4. RACEWAY FOR POWER. REFER TO ELECTRICAL SERIES FOR MORE INFORMATION.
5. PROVIDE SINGLE GANG OUTLET BOX WITH WALL FACEPLATE AND TERMINATE HORIZONTAL 4-PAIR CABLE IN SCS JACKS AND INSTALL IN FACEPLATE. TWO (2) OF THE HORIZONTAL 4-PAIR CABLES AND ASSOCIATED JACKS SHALL BE YELLOW FOR AV AND ONE (1) CABLE AND JACK SHALL BE BLUE.
6. WALL STUDS (TYPCIAL).
7. WALL BLOCKING AS REQUIRED TO SUPPORT DISPLAY (TYPICAL).
8. PROVIDE J-HOOK SUPPORTS (TYPICAL).
9. PROVIDE 1-1/4" CONCEALED CONDUIT TO POKE-THRU DEVICE FOR AV CABLING IF INDICATED ON PLANS.

10 RECESSED IN-WALL STORAGE BOX TYPE 1
N.T.S.



6 COMBINATION POKE THRU DEVICE
N.T.S.



2 COMMUNICATIONS BACKBOX OUTLET AND J-HOOKS
1/2" = 1'-0"



KEYED NOTES:

1. PROVIDE WIREMOLD WMPAC525FCW RECESS IN-WALL STORAGE BOX. COORDINATE FINAL LOCATION WITH DISPLAY AND WALL MOUNT BRACKET PRIOR TO INSTALLATION
2. PROVIDE CONCEALED CONDUIT FOR HORIZONTAL 4-PAR CABLING. REFER TO SCHEDULE FOR MORE INFORMATION.
3. PROVIDE 1-1/4" CONCEALED CONDUIT TO POKE-THRU DEVICE FOR AV CABLING IF INDICATED ON PLANS.
4. RACEWAY FOR POWER. REFER TO ELECTRICAL SERIES FOR MORE INFORMATION.
5. PROVIDE SINGLE GANG OUTLET BOX WITH WALL FACEPLATE AND TERMINATE HORIZONTAL 4-PAIR CABLE IN SCS JACKS AND INSTALL IN FACEPLATE. TWO (2) OF THE HORIZONTAL 4-PAIR CABLES AND ASSOCIATED JACKS SHALL BE YELLOW FOR AV AND ONE (1) CABLE AND JACK SHALL BE BLUE.
6. WALL STUDS (TYPCIAL).
7. WALL BLOCKING AS REQUIRED TO SUPPORT DISPLAY (TYPICAL).
8. PROVIDE J-HOOK SUPPORTS (TYPICAL).
9. OUTLINE OF DISPLAY.
10. ROUTE CONDUIT TO NEAREAST ACCESSIBLE CEILING.
11. ROUTE CONDUIT TO COMBINATION POKE-THRU DEVICE.

11 RECESSED IN-WALL STORAGE BOX TYPE 2
1/2" = 1'-0"



7 OUTLET FOR MECH/ELEC/ELEV CONNECTION - TYPE 1
1" = 1'-0"



3 MODULAR FURNITURE OUTLET
N.T.S.

KEYED NOTES:

1. ELECTRICAL BOX WITH DUPLEX RECEPTACLE.
2. OUTLINE OF CREDENZA RACK.
3. PROVIDE AV WALL BOX - *LEGRAND EVOLUTION SERIES FOUR-GANG (EFSB4).*
4. PROVIDE 3/4" CONDUIT FOR SPEAKER CABLES.
5. PROVIDE 2" CONDUIT FOR LOW VOLTAGE CABLES.
6. PROVIDE TELECOMMUNICATIONS OUTLETS AS REQUIRED. USE BOTTOM GANGS OF AV WALL BOX. REFER TO FLOOR PLANS FOR CABLE QUANTITY.



12 ROUGH-IN FOR CREDENZA RACK
N.T.S.



8 POKE THRU FURNITURE FEED DEVICE
1" = 1'-0"



4 RACK/CABINET BONDING
N.T.S.

FOR REFERENCE ONLY

TLC ENGINEERING SOLUTIONS
201 St. Charles Avenue
Suite 4318
New Orleans, LA 70170
P 504.777.0040
EF 3319
www.tlc-engineers.com
TLC No.:721097
THINK. LISTEN. CREATE.
©Copyright 2023

multistudio
the evolution of gould evans
+
PERKINS — EASTMAN

LSU-HSC MEB LABORATORY RENOVATION

1901 PERDIDO STREET
NEW ORLEANS, LA 70112

Project Number: 1321-1100

owner:
State of Louisiana - Facility Planning and Control
1201 N. Third St., Suite 7-210
Baton Rouge, LA 70802
225.342.7000
www.doa.la.gov/doa/fpc/

architects:
Multistudio
330BA Magazine Street
New Orleans, LA 70115
504.681.6303
www.multi.studio

Perkins Eastman
115 5th Ave
New York, NY 10003
212.353.7200
www.perkinseastman.com

structural engineer:
Schrenk, Endom & Flanagan Consulting Engineers,
4227 Bienville Avenue
New Orleans, LA 70119
504.482.7856
www.sefengineers.com

MEP/FP + technology engineer:
TLC Engineering Solutions
201 St. Charles Ave, Suite 4318
New Orleans, LA 70170
504.777.0040
www.tlc-engineers.com

Issue Date: 01/12/2024

Revisions

NUMBER	DESCRIPTION	DATE

UNLESS A PROFESSIONAL SEAL WITH SIGNATURE AND DATE IS AFFIXED, THIS DOCUMENT IS PRELIMINARY AND IS NOT INTENDED FOR CONSTRUCTION, RECORDING PURPOSES OR IMPLEMENTATION

STATE OF LOUISIANA — VINCE M. REA, License No. 39736, PROFESSIONAL ENGINEER — 1/12/2024

TECHNOLOGY DETAILS

T701

CONSTRUCTION DOCUMENTS

PRINT DATE/TIME: 1/11/2024 12:03:07 PM